

according to Regulation (EC) No 1907/2006

	Strontium nitrate, 100 g	
Print date: 15.04.2015	Product code: 9991919	Page 1 of 8
SECTION 1: Identification of the s	substance/mixture and of the company	/undertaking
1.1. Product identifier		
Strontium nitrate, 100	g	
CAS No:	10042-76-9	
EC No:	233-131-9	
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised again	inst
Use of the substance/mixture		
Laboratory chemicals		
1.3. Details of the supplier of the safe	ety data sheet	
Seller		
Company name:	CONATEX-DIDACTIC Lehrmittel GmbH	
Street:	Im Forstgarten 1	
Place:	D-66459 Kirkel	
Internet:	www.conatex.com	
Supplier		
Company name:	Carbolution Chemicals GmbH	
Street:	Im Stadtwald, Gebäude A1.2	
Place:	D-66123 Saarbrücken	
Contact person:	Dr. Michael Bauer	Telephone: +49 (0)681 302-71232
e-mail:	michael.bauer@carbolution-chemicals.de	
Internet:	www.carbolution-chemicals.de	
1.4. Emergency telephone number:	+49 (0)681 302-71232	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: O - Oxidizing, Xn - Harmful, Xi - Irritant R phrases: Contact with combustible material may cause fire. Harmful if swallowed. Irritating to eyes, respiratory system and skin.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Oxidising solid: Ox. Sol. 3 Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazard Statements: May intensify fire; oxidiser. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

2.2. Label elements



according to Regulation (EC) No 1907/2006

		D O (
rint date: 15.04.2015	Product code: 9991919	Page 2 of
Hazardous components Strontium nit	which must be listed on the label trate	
Signal word:	Warning	
Pictograms:	GHS03-GHS07	
Hazard statements H272	May intensify fire; oxidiser.	
H272 H302	Harmful if swallowed.	
H272 H302 H315	Harmful if swallowed. Causes skin irritation.	
H272 H302 H315 H319	Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.	
H272 H302 H315	Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.	
H272 H302 H315 H319 H335	Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.	

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	N2O6Sr
Molecular weight:	211,63

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
233-131-9	Strontium nitrate	100 %
10042-76-9	O - Oxidizing, Xn - Harmful, Xi - Irritant R08-22-36/37/38	
	Ox. Sol. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H272 H302 H315 H319 H335	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.



according to Regulation (EC) No 1907/2006

Strontium nitrate, 100 g

Print date: 15.04.2015

Product code: 9991919

Page 3 of 8

After ingestion

Rinse mouth immediately and drink plenty of water. Medical treatment necessary.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool place. Keep away from sources of ignition. - No smoking.

Advice on storage compatibility

Keep away from combustible material.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream.



according to Regulation (EC) No 1907/2006

Strontium nitrate, 100 g

Print date: 15.04.2015

Product code: 9991919

Page 4 of 8

After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid		
Colour:	colourless		
Odour:	No data available		
			Test method
pH-Value (at 25 °C):		6	
Changes in the physical state			
Melting point:		570 °C	
Initial boiling point and boiling range:		No data available	
Sublimation point:		No data available	
Softening point:		No data available	
Flash point:		No data available	
Flammability			
Solid:		No data available	
Gas:		No data available	
Lower explosion limits:		No data available	
Upper explosion limits:		No data available	
Ignition temperature:		No data available	
Auto-ignition temperature			
Solid:		No data available	
Gas:		No data available	
Vapour pressure:		No data available	
Vapour pressure:		No data available	
Density:		No data available	
Water solubility:		No data available	
Partition coefficient:		No data available	
Viscosity / dynamic:		No data available	
Viscosity / kinematic:		No data available	
Flow time:		No data available	
Vapour density:		No data available	



according to Regulation (EC) No 1907/2006

Strontium nitrate, 100 g		
Print date: 15.04.2015	Product code: 9991919	Page 5 of 8
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
9.2. Other information		
Solid content:	No data available	

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

In case of impact or pressure influence: Explosion hazard. Remove all sources of ignition. Keep away from heat. Ignition hazard.

10.5. Incompatible materials

Keep away from: material, combustible.

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Acute toxicity, dermal.

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
10042-76-9	Strontium nitrate				
	oral	ATE	500 mg/kg		

Irritation and corrosivity

Irritating to eyes. Following inhalation: Lung irritation. Coughing. shortage of breath. After skin contact: Irritant.

Sensitising effects

No data available

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).



according to Regulation (EC) No 1907/2006

Strontium nitrate, 100 g

Print date: 15.04.2015

Product code: 9991919

Page 6 of 8

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14:	Transport	information
-------------	-----------	-------------

Land transport (ADR/RID)

14.1. UN number:

14.2. UN proper shipping name:

UN1507 STRONTIUM NITRATE



according to Regulation (EC) No 1907/2006

	Strontium nitrate, 100 g
Print date: 15.04.2015	Product code: 9991919 Page 7 of 8
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	III
Hazard label:	5.1
Classification code:	02
Limited quantity:	5 kg
Transport category:	3
Hazard No:	50
Tunnel restriction code:	E
Other applicable information (land trans	ροτι
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN1507
14.2. UN proper shipping name:	STRONTIUM NITRATE
<u>14.3. Transport hazard class(es):</u>	5.1
14.4. Packing group:	III
Hazard label:	5.1
Classification code:	02
Limited quantity:	5 kg
Other applicable information (inland wat	
	istways transport
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN1507
14.2. UN proper shipping name:	STRONTIUM NITRATE
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	
Hazard label:	5.1
Special Provisions:	- 5 ka
Limited quantity: EmS:	5 kg F-A, S-Q
Other applicable information (marine tra E1	insport)
Air transport (ICAO)	
<u>14.1. UN number:</u>	UN1507
14.2. UN proper shipping name:	STRONTIUM NITRATE
14.3. Transport hazard class(es):	5.1
	5. T
14.4. Packing group:	
Hazard label:	5.1
Limited quantity Passenger:	10 kg
IATA-packing instructions - Passenger:	559
IATA-max. quantity - Passenger:	25 kg
IATA-packing instructions - Cargo:	563 100 km
IATA-max. quantity - Cargo:	100 kg
Other applicable information (air transpo E1	ort)
: Y546	
14.5. Environmental hazards	

14.5. Environmental hazards



according to Regulation (EC) No 1907/2006

Strontium nitrate, 100 g

Print date: 15.04.2015

Product code: 9991919

Page 8 of 8

ENVIRONMENTALLY HAZARDOUS:

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

no

EU regulatory information

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Water contaminating class (D):

3 - highly water contaminating

SECTION 16: Other information

Relevant R-phrases (Number and full text)

08	Contact with combustible material may cause fire.
22	Harmful if swallowed.
36/37/38	Irritating to eyes, respiratory system and skin.

Relevant H- and EUH-phrases (Number and full text)

- H272 May intensify fire; oxidiser.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.